#### (19) World Intellectual Property Organization International Bureau



# 

#### (43) International Publication Date 10 October 2002 (10.10.2002)

#### (10) International Publication Number WO 02/078459 A1

(51) International Patent Classification7: A61K 9/68, 9/00

A23G 3/30.

Designated States (regional): European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR).

(21) International Application Number: PCT/EP02/03064

(22) International Filing Date: 19 March 2002 (19.03.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

0107954.0 29 March 2001 (29.03.2001) GB

(71) Applicant (for all designated States except US): SO-CIETE DES PRODUITS NESTLES S.A. [CH/CH]; P.O.BOX 353, CH-1800 Vevey (CH).

(72) Inventor; and

(75) Inventor/Applicant (for US only): SOLDANI, Cristiana [IT/IT]; Viale F. Testi, 210, I-20126 Milano (IT).

(74) Agent: PATE, Fred; Avenue Nestlé 55, CH-1800 Vevey (CH).

(81) Designated States (national): AU, BR, CA, CN, CO, CR, CZ, EC, HU, ID, IL, IN, JP, MX, NZ, PH, PL, RO, RU, SG, SI, SK, TR, UA, US, ZA.

#### **Declarations under Rule 4.17:**

- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for the following designations AU, BR, CA, CN, CO, CR, CZ, EC, HU, ID, IL, IN, JP, MX, NZ, PH, PL, RO, RU, SG, SI, SK, TR, UA, ZA, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR)
- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for the following designations AU, BR, CA, CN, CO, CR, CZ, EC, HU, ID, IL, IN, JP, MX, NZ, PH, PL, RO, RU, SG, SI, SK, TR, UA, ZA, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR)
- of inventorship (Rule 4.17(iv)) for US only

#### **Published:**

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: CHEWING GUM-CONTAINING TABLET

(57) Abstract: A chewing gum-containing tablet comprising a gum base and a tablet base characterised in that, in the mouth, the tablet exhibits a first crumbly stage which changes to a second chewing gum stage.

#### CHEWING GUM-CONTAINING TABLET

#### FIELD OF THE INVENTION

The present invention relates to a chewing gum-containing tablet which has a novel effect in the mouth by combining the properties of a tablet with those of a chewing gum.

#### BACKGROUND OF THE INVENTION

10

15

20

35

Ordinary chewing gum contains a generally neutral and essentially tasteless insoluble masticatory gum base which is usually a plasticised rubber or polymer which is softened and has added texturisers, anti-tacking agents and antioxidants, etc. The base is to be chewed rather than eaten in itself and is a vehicle for one or more non-masticatory active ingredients such as flavours and sweeteners.

EP-A-0 253-040 discloses a chewing gum hard candy confection which softens in the mouth to a chewable mass upon mastication prepared by mixing a melted gum base with a cooked hard candy syrup and cooling to a hard candy matrix. Hard candy is usually made from a base of a bulk sweetener such as sugar and glucose syrup which normally contain about 95-98% of the product. The hard candy syrup comprising sugar, glucose syrup and water is cooked to a temperature of 127° to 185°C before adding the melted chewing gum base.

Tablets are characterised by being hard and somewhat brittle with a smooth surface and differ from hard candy in that they are formed by compressing a tablet base powder in a die where the particles bond together under pressure and the compacted tablet is ejected from the die. The tablet base material is a sugar or a polyol, e.g. sucrose, fructose, dextrose, sorbitol, mannitol, maltitol or xylitol. Tablets may be chewed in a crumbly state and eventually swallowed.

#### SUMMARY OF THE INVENTION

The present invention comprises a chewing gum-containing tablet which has a novel and unique effect in the mouth by combining the properties of a tablet with those of a chewing gum. The tablet of the present invention has a hard crumbly

2

initial eat typical of a pressed sweet like Polo® which changes to a chewing gum stage.

Accordingly, the present invention comprises a chewing gum-containing tablet comprising a gum base and a tablet base characterised in that, in the mouth, the tablet exhibits a first crumbly stage which changes to a second chewing gum stage.

#### DETAILED DESCRIPTION OF THE INVENTION

The chewing gum-containing tablet according to the invention may be prepared from a gum base and a tablet base material in particulate form.

The chewing gum-containing tablet may be prepared by compressing a mixture of the gum base and the tablet base material in powder form. The particle sizes of the gum base and the tablet base may range from 10 microns to 2mm, but the average particle size may be from 20 to 160 microns, preferably from 40 to 120 microns and more preferably from 50 to 100 microns.

The gum base may any gum base well known to those skilled in the art and may be a plasticised rubber or polymer which may have added texturisers, anti-tacking agents and antioxidants. A particularly advantageous gum base is ARTICA-T made by Cafosa Gum S/A of Barcelona, Spain. Artica-T is composed of the following classes of materials: specially purified elastomeric polymers, resins, refined waxes, glycerol esters of edible fatty acids, talc, antioxidant.

The tablet base material may contain sugar or be sugar-free is preferably based on a sugar or a polyol, for example, sucrose, fructose, lactose, dextrose, sorbitol, mannitol, maltitol, xylitol, isomalt, glucose syrup, maltitol syrup or eritrithol.

Preferably, the gum base is present in an amount of from 5% to 99%, preferably from 10% to 50% and more preferably from 20% to 30% by weight and the tablet base is present in an amount from 1% to 95%, preferably from 50% to 90% and more preferably from 70% to 80% by weight based on the weight of the product.

30

5

10

15

5

10

15

20

25

30

35

Preferably, the chewing gum-containing tablet may contain a binder, a lubricant, a flavour or a colour.

3

Optionally, the chewing gum-containing tablet may contain an active ingredient. The active ingredient may be a pharmaceutical, medicated, nutritive or functional ingredient, a dental vehicle such as casein glyco-macro-peptide (CGMP) or a breath freshener. For instance, the active ingredient may be any vitamin, enzyme, amino-acid supplement, protein, gum, carbohydrate, phytochemical, dextrose, lecithin, other trace nutrient, brain-stimulating substance, energy provider, a mineral, mineral salt, botanical extract, antioxidant, prebiotic, probiotic bacteria, fatty acid, oat beta glucan or other functional fibre, creatine, carnitine, bicarbonate, citrate, or any mixture thereof.

The amount of active ingredient present in the chewing gum-containing tablet may depend on requirements and the actual ingredient used. For instance, some active ingredients have high functional activity at very low doses such as vitamins and minerals (micronutrients), whereas others such as dextrose (macronutrients) are beneficial to the body in much higher amounts. Furthermore, plant extracts may only contain small amounts of active constituents within the bulk of the extract and may therefore need to be added in larger amounts to ensure sufficient effective quantities of the active parts. The amount of active ingredient may, for example, be from up to 0.00000001 to 15% by weight of the chewing gum-containing tablet depending upon the ingredient. The amount of most ingredients is usually less than 1% by weight, and preferably from 0.000001 to 0.5 % by weight of the chewing gum-containing tablet. CGMP may be used in amounts up to 15%, preferably from 1 to 12% and more preferably from 2.5 to 10% by weight of the chewing gum-containing tablet.

The mineral may be calcium, iron, selenium, zinc, magnesium, phosphorus, iodine, manganese, iron, boron or copper, molybdenum, potassium, chromium, vanadium or fluoride.

The phytochemical may be a polyphenol, procyanidin or a phenolic acid, catechin or epicatechin, isoflavone, terpene or other phytonutritive plant material.

5

10

15

20

25

30

35

The botanical extract may be selected from Guarana, Gingko Biloba, Kola nut, Goldenseal, Golo Kola, Schizandra, Elderberry, St. John's Wort, Valerian and Ephedra, beta-sitosterol, caffeine, cafestol, D-limonene, kabweol, nomilin, oltipraz, sulphoraphane, tangeretin, black tea, white tea, java tea, folic acid, garlic oil, fiber, green tea extract, lemon oil, mace,licorice, menthol, onion oil, orange oil, rosemary extract, milk thistle extract, Echinacea, Siberian ginseng or Panax ginseng, lemon balm, Kava Kava, matte, bilberry, soy, grapefruit, seaweed, hawthorn, lime blossom, sage, clove, basil, curcumin, taurine, wild oat herb, dandelion, gentian, aloe vera, hops, cinnamon, peppermint, grape, chamomile, fennel, marshmallow, ginger, slippery elm, cardamon, coriander, anise, thyme, rehmannia, eucalyptus, menthol, kava kava, schisandra, withania, cowslip, lycium, passion flower.

4

The antioxidant substance may be glutathione peroxidase, superoxide dismutase, catalase, co-enzyme Q10 or honey.

The prebiotic may contain fructose, galactose, mannose, soy or inulin.

The probiotic bacteria may be lactobacilli or bifidobacteria, lactococcus, streptococcus, leuconostoccus, pediococcus or enterococcus.

When the chewing gum-containing tablet contains an active ingredient, it may impart to the consumer benefits such as oral care, breath freshness, pharmaceutical or nutritive advantages.

The present invention also provides a process for the preparation of a chewing gum-containing tablet according to claim 1 which comprises mixing a particulated gum base with a particulated tablet base material and compressing the mixture in a tablet press to enable it to bind together and form a firm compact product.

The tablet press comprises a die and a punch and the basic principle of compression applies wherein the die is filled with powder and compressed by the punch being lowered under pressure and maintained on the powder for a period of time known as the dwell time to form the tablet after which the tablet is ejected. Many shapes and sizes of tablet may be made by varying the shape of the die and punch, e.g. circular, briquette, pillow, etc.

In the mouth, the tablet initially has a crumbly texture which lasts for a certain period of time and then becomes a normal cohesive chewing gum. The period of crumbliness varies according to rate of chew and the ratio between the gum and tablet material. For a slow chew according to the recipe this period may vary from 0.5 seconds to 1 minute.

#### **EXAMPLES**

The following Examples further describe the invention by way of illustration only. The gum base used in all the Examples is ARTICA-T made by Cafosa Gum S/A of Barcelona, Spain.

#### Example 1

15

5

The following formulation is used to make a large circular chewing gum with a hole in the middle. The gum base and the sorbitol are used in powder form having an average particle size of 40 microns. The flavour is a combination of powder and liquid.

20

25

30

35

Gum Base	21.3%
Sorbitol	72.1%
CGMP	5%
Magnesium stearate	0.5%
Flavour (powder + liquid)	1.1%

The above ingredients are filled into the die of a tablet press comprising a suitably shaped die and punch and compressed by the punch being lowered under pressure which is maintained on the powder for a period of time known as the dwell time to bond the particles together and compact them to form the tablet after which the tablet is ejected.

In the mouth, the tablet initially has a crumbly texture which lasts for a certain period of time and then becomes a normal cohesive chewing gum.

6

#### Example 2

5

10

245.95 parts of a Cafosa Gum/Sorbitol premix containing the ingredients in the same proportion as in Example 1 having an average particle size of 40 microns are mixed with the following ingredients

Magnesium stearate (lubricant)	1.25 parts
Mint Oil	1.30 parts
Mint powder	1.00 parts
Menthol Trusil	0.5 parts

The above mixture was compressed as in Example 1 to give a mint-flavoured chewing gum tablet.

In the mouth, the tablet initially has a crumbly texture which lasts for a certain period of time and then becomes a normal cohesive chewing gum.

#### Example 3

240 parts of a Cafosa Gum/Sorbitol premix containing the ingredients in the same proportion as in Example 1 having an average particle size of 40 microns are mixed with the following ingredients

25	Magnesium stearate (lubricant)	1.25 parts
	Peach flavour	5.00 parts
	Malic acid	3.50 parts
	Aspartame	0.25 parts

The above mixture was compressed as in Example 1 to give a fruit-flavoured chewing gum tablet.

In the mouth, the tablet initially has a crumbly texture which lasts for a certain period of time and then becomes a normal cohesive chewing gum.

7

#### Example 4

5

10

The following mixture was compressed as in Example 1 to give a flavoured chewing gum tablet.

Gum base 26%

Xylitol 28%

Isomalt PF39.9%Lycasin06%Liquid flav. (mint)0.1%

The above composition of the tablet material gives a crumbliness which lasts for only about 0.5 seconds and then becomes a normal cohesive chewing gum.

### 15 Example 5

The following mixture was compressed as in Example 1 to give a flavoured chewing gum tablet.

20	Gum base	26%
	Sugar	74%
	Glucose syrup 42 DE	05.3%
	Liq. Flavour (mint)	0.1%

The above composition of the tablet material gives a crumbliness which lasts for only about 0.5 seconds and then becomes a normal cohesive chewing gum.

8

#### **CLAIMS**

5

15

- 1. A chewing gum-containing tablet comprising a gum base and a tablet base characterised in that, in the mouth, the tablet exhibits a first crumbly stage which changes to a second chewing gum stage.
- 2. A chewing gum-containing tablet according to claim 1 prepared from a gum base and a tablet base material in particulate form.
- 3. A chewing gum-containing tablet according to claim 1 prepared by compressing a mixture of a gum base and a tablet base material in powder form.
  - 4. A chewing gum-containing tablet according to claim 2 wherein the gum base is a plasticised rubber or polymer which has added texturisers, anti-tacking agents and antioxidants.
  - 5. A chewing gum-containing tablet according to claim 2 wherein the tablet base material is a sugar or a polyol.
- 6. A chewing gum-containing tablet according to claim 2 wherein the tablet base material is sucrose, fructose, lactose, dextrose, sorbitol, mannitol, maltitol, xylitol, isomalt, glucose syrup, maltitol syrup or erithrithol.
  - 7. A chewing gum-containing tablet according to claim 1 containing a binder, a lubricant, a flavour or a colour.
    - 8. A chewing gum-containing tablet according to claim 1 containing a pharmaceutical, medicated, nutritive or functional ingredient, a dental vehicle or a breath freshener.
    - 9.A process for the preparation of a chewing gum-containing tablet according to claim 1 which comprises mixing a particulated gum base with a particulated tablet base material and compressing the mixture in a tablet press to enable it to bind together and form a firm compact product.

25

30

# ERNATIONAL SEARCH REPORT

national Application No PCT/EP 02/03064

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 A23G3/30 A61k A61K9/68 A61K9/00 According to International Patent Classification (IPC) or to both national classification and IPC B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) IPC 7 A23G A61K Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) EPO-Internal, WPI Data, PAJ C. DOCUMENTS CONSIDERED TO BE RELEVANT Category ° Citation of document, with indication, where appropriate, of the relevant passages Relevant to daim No. χ WO OO 56281 A (ATP AVANT GARDE 1 - 9TECHNOLOGIES &) 28 September 2000 (2000-09-28) page 4, line 7 -page 5, line 6; claim 23; examples 1-3 Χ US 4 741 905 A (HUZINEC ROBERT) 1 - 93 May 1988 (1988-05-03) cited in the application column 5, line 38-47; claims 1-4,7-12 column 2, line 41 -column 3, line 38 column 4, line 50-54 column 3, line 67 -column 4, line 19 -/--Further documents are listed in the continuation of box C. Patent family members are listed in annex. Special categories of cited documents: "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the \*A\* document defining the general state of the art which is not considered to be of particular relevance jnvention "E" earlier document but published on or after the international "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to filing date 'L' document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such docu-\*O" document referring to an oral disclosure, use, exhibition or nents, such combination being obvious to a person skilled "P" document published prior to the international filing date but later than the priority date claimed "&" document member of the same patent family Date of the actual completion of the International search Date of mailing of the international search report 14 August 2002 28/08/2002 Authorized officer Name and mailing address of the ISA

Heirbaut, M

European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk Tel. (+31–70) 340–2040, Tx. 31 651 epo nl, Fax: (+31–70) 340–3016

# IN ERNATIONAL SEARCH REPORT

	PCT/EP 02/03064			
	Ion) DOCUMENTS CONSIDERED TO BE RELEVANT			
ory ° (	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.		
	US 5 866 179 A (TESTA EMILIO STEFANO) 2 February 1999 (1999-02-02) column 3, line 49 -column 4, line 46; claims 1-12,23-33; examples 1-4 column 2, line 31-51	1-9		
	US 5 824 291 A (HOWARD HERMAN S) 20 October 1998 (1998-10-20) column 3, line 66 -column 4, line 7; claim 13 column 4, line 45-54 column 5, line 16-50; example 2	1-9		
	US 5 711 961 A (SENECI ALESSANDRO ET AL) 27 January 1998 (1998-01-27) claims 1,8,13-15,24,31,37-39	1-9		
	US 4 753 805 A (CHERUKURI SUBRAMAN R ET AL) 28 June 1988 (1988-06-28) column 4, line 12-21; claims 1-16; examples 3-7 column 6, line 14 -column 7, line 3	1-9		
	US 4 737 366 A (GERGELY GERHARD ET AL) 12 April 1988 (1988-04-12) column 1, line 35-38 column 2, line 23-31 column 3, line 17-30; claims 5,7; examples 1,2	1-9		
	WO 97 21424 A (GLAXO WELLCOME LAB; BOUAFFRE FREDERIQUE ANNIE NATH (FR); LAFON JEA) 19 June 1997 (1997-06-19) page 3, line 7-21; claims 1-6,9 page 4, line 10,11 page 5, line 10-18	1-9		
	PATENT ABSTRACTS OF JAPAN vol. 1995, no. 06, 31 July 1995 (1995-07-31) & JP 07 067541 A (KORISU KK), 14 March 1995 (1995-03-14) abstract	1-9		
	EP 0 399 479 A (GERGELY GERHARD) 28 November 1990 (1990-11-28) page 4, line 48 -page 5, line 13; claims 5,6	1-9		
	EP 0 298 922 A (WARNER LAMBERT CO) 11 January 1989 (1989-01-11) page 4, line 24-40; claims 1-4,6-9,16,20,21 page 5, line 29 -page 6, line 9 -/	1-9		
19 A 2010	page 5, line 29 -page 6, line 9			



		FC1/EF 02/03004
C.(Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category *	Citation of document, with Indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 151 344 A (WARNER LAMBERT CO) 14 August 1985 (1985-08-14) page 10, line 32 -page 12, line 21; claims 1-4,12,19,20 page 16, line 15-19; examples 3-7	1-9

# II ERNATIONAL SEARCH REPORT

Information on patent family members

		<del></del>			701/1	
,	Itent document In search report		Publication date		Patent family member(s)	Publication date
WO	0056281	Α	28-09-2000	IT AU BR CN WO EP	MI990571 A1 6203799 A 9917220 A 1348359 T 0056281 A1 1162946 A1	22-09-2000 09-10-2000 26-12-2001 08-05-2002 28-09-2000 19-12-2001
US	4741905	A	03-05-1988	AU AU EP JP JP JP ZA	577483 B2 6609486 A 0253040 A2 1046098 B 1565622 C 63003758 A 83935 A, E	22-09-1988 24-12-1987 20-01-1988 05-10-1989 25-06-1990 08-01-1988 3 01-01-1987 29-07-1987
US	5866179	A	02-02-1999	AT CA DE DK EP ES WO JP PT	200024 T 2196150 A1 69704426 D1 69704426 T2 909166 T3 0909166 A2 2157566 T3 9741843 A2 2001506227 T 909166 T	15-04-2001 04-11-1997 03-05-2001 15-11-2001 13-08-2001 21-04-1999 16-08-2001 13-11-1997 15-05-2001 28-09-2001
US	5824291	Α	20-10-1998	NONE		
US	5711961	Α	27-01-1998	IT EP CH WO	1274034 B 0769935 A1 689249 A5 9603111 A1	14-07-1997 02-05-1997 15-01-1999 08-02-1996
US	4753805	A	28-06-1988	AU CA EP ES ES JP ZA	3668684 A 1240875 A1 0151344 A2 538521 D0 8608288 A1 60164438 A 8409689 A	08-08-1985 23-08-1988 14-08-1985 16-06-1986 01-12-1986 27-08-1985 31-07-1985
US	4737366	A	12-04-1988	AT AU DE WO EP FI JP JP	55244 T 5356586 A 3579170 D1 8603967 A1 0235159 A1 872731 A ,1 7096496 B 62501419 T	15-08-1990 29-07-1986 13-09-1990 17-07-1986 09-09-1987 18-06-1987 18-10-1995 11-06-1987
WO	9721424	Α	19-06-1997	AU WO	1191497 A 9721424 A1	03-07-1997 19-06-1997
JP	07067541	A	14-03-1995	JP	2558437 B2	27-11-1996
EP	0399479	Α	28-11-1990	AT DE	92754 T 59002265 D1	15-08-1993 16-09-1993

# IMPERNATIONAL SEARCH REPORT

Information on patent family members

	atent document d in search report		Publication date		Patent family member(s)	Publication date
EP	0399479	Α		EP ES	0399479 A1 2018452 T3	28-11-1990 16-11-1994
EP	0298922	А	11-01-1989	CA AU DE DE EP ES JP ZA	1312769 A1 615659 B2 1844188 A 3880384 D1 3880384 T2 0298922 A2 2040891 T3 1034248 A 8804317 A	19-01-1993 10-10-1991 12-01-1989 27-05-1993 21-10-1993 11-01-1989 01-11-1993 03-02-1989 29-03-1989
EP	0151344	A	14-08-1985	AU CA EP ES JP US ZA	3668684 A 1240875 A1 0151344 A2 538521 D0 8608288 A1 60164438 A 4753805 A 8409689 A	08-08-1985 23-08-1988 14-08-1985 16-06-1986 01-12-1986 27-08-1985 28-06-1988 31-07-1985